



**NSCA™** National Strength and Conditioning Association

*Proudly Presents*

# **NSCA Sports Nutrition**

Education Program

*Sponsored by*



# Disclaimer

The nutritional and supplement recommendations in this education module are an expression of the author's expert opinion and are not meant to be interpreted as absolute scientific conclusions and are not necessarily the views of the NSCA and its officers or affiliates. The statements pertaining to the effects of nutritional supplements have not been evaluated by the Food and Drug Administration. None of the author recommendations are intended to diagnose, treat, cure, or prevent any disease.

Further more, The NSCA encourages the exchange of diverse opinions. The ideas or comments presented through this medium do not necessarily reflect the NSCA's official position on an issue, nor an endorsement by the NCSA of statements made by any commentators, whether as fact, opinion or otherwise. The NSCA assumes no responsibility for any statements made by commentators.



# Nutrition and the Young Athlete

Prepared by:  
Marie Spano, MS, RD



NSCA Sports Nutrition Education Program



# The Coach's Role

- Achieve Athletic Success
- Fair Play
- Develop Confidence
- Develop Social Skills
- **Influence Dietary Habits**

# Special Needs

- Calorie and Macronutrient needs
  - Growth & Development
  - Training Demands
  - Recovery from Injuries
  - Menstruation in females

# Special Needs

- Mineral Needs
- Risk of Eating Disorders
- Risk for Dehydration
- Supplement Use

# Calorie and Macronutrient Needs



NSCA Sports Nutrition Education Program



# Energy Needs

- Challenges
  - Dependence on others for food
- Sizing up Energy Needs
  - Growth Rate
  - Age
  - Gender
  - Size
  - Weight
  - Activity



# Assessing Energy Levels

- Child's Energy Needs
  - Adequate growth
  - Energy Levels
  - Performance
  - Weight Changes
  - Mood

# Inadequate Energy Intake

- Coaches should discuss with:
  - Parents
    - Performance
    - Energy Levels
    - Is the Child Happy with the Sport?
  - Child
    - Performance
    - Position and Sport
    - Practice

# Increased Energy Needs

Increase Intake of Calorie-Dense Foods

- Nut butters, nuts, seeds
- 100% Juices, dried fruits
- Trail mix
- Granola, muesli, grape-nuts
- Hi calorie shakes
  - Blend with 2% milk, peanut or almond butter, fruit, low fat ice cream
- High calorie bars

# Decreased Energy Needs

- Never encourage a kid to “diet”
- Parents can work with a child to:
  - Eat less calorie dense foods
    - Fruits, vegetables, whole grains, soups
    - Exercise more
  - Coaches can support a child’s weight loss efforts
    - Providing healthy snacks
    - Teaching what foods are needed to support performance

# Healthy Eating – Macronutrients



NSCA Sports Nutrition Education Program



# Carbohydrates

- Energy
- Provides:
  - Fiber
  - Vitamins & Minerals
  - Phytonutrients



# Carbohydrates

## 1. Complex

- Contains fiber
- Digest slowly
- Rich in vitamins and minerals
- Examples:
  - ✓ Whole grain foods
  - ✓ Vegetables, fruit

## 2. Simple

- Raises blood sugar rapidly
- Examples:
  - ✓ Juice
  - ✓ Candy, sweets



# Protein

- **Structural components**
  - Blood
  - Cartilage
  - Ligaments, bones
  - Skin, hair, teeth
  - Muscle tissue
  - Hormones and hormone receptors
  - Enzymes
  - Antibodies
- **Play a role in:**
  - Growth & Repair
  - Muscular contraction
  - Immune system
  - Transmission of nerve impulses
  - Fluid maintenance
  - Electrolyte balance

# Fat

- Growth
- Sex hormones
- Prostaglandins
- Cell membranes
- Absorption and transportation of fat-soluble vitamins
- Cushions and protects organs
- Insulation
- Energy

# Fat Facts

## 1. Unsaturated

- Should make up the bulk of fat intake
- Liquid at room temperature
- Olive, peanut, corn oil, fatty fish

## 2. Saturated

- Solid at room temperature
- Butter, whole milk, cheese
- Increases body cholesterol levels

# Fat Facts

## 1. Trans fats

- AKA - hydrogenated oils
- Increases heart disease risk
- French fries, fried foods, donuts, pastries
- Listed on food labels

# Nutrition Solutions

- ✓ Children should be encouraged to eat when they are hungry but stop when they are full
- ✓ Encourage intake of healthy snacks
- ✓ Children should eat throughout the day
- ✓ Offer water, sports drinks
- ✓ Minimize intake of trans fats, fried food

# Nutrition Solutions

- ✓ Focus on fiber-rich foods
- ✓ Eat at least one fruit or vegetable with every meal
- ✓ Offer lean meats, low-fat dairy
- ✓ Parents should include children in:
  - Food preparation
  - Food selection

# Vitamin & Mineral Needs



NSCA Sports Nutrition Education Program



# Vitamins

- Vitamins
  - Coenzymes – ensure proper enzyme functioning
  - Athletes do not have an increased need
  - Found in:
    - Multivitamin
    - Fruits, vegetables
    - Breakfast cereals
    - Whole grain foods

# Minerals

- Structural Integrity
  - Bones
  - Teeth
  - Hemoglobin
  - Component of insulin, enzymes
  - Formation of hormones

# Minerals

- Regulate several body processes
  - Fluid balance
  - Acid/base balance
  - Muscle contraction
  - Nerve impulses
  - Wound healing
  - Metabolism of carbohydrates, fat, protein

Athletes do not have an increased need but, children in general may have low intakes of calcium and iron



# Calcium

- Rapid bone formation in children increases need
- Children typically have a low intake
- Low intake:
  - Children who restrict their calorie intake
  - Females
  - Increased risk of fractures, shin splints

# Iron

- Carries oxygen to the blood and muscles
- Anemia can impair athletic performance
- Marginal iron deficiency might impair athletic performance
- Girls especially at risk for low intake

# Iron

- Animal sources are preferable to vegetable sources of iron
- Good sources:
  - Red meat
  - Turkey
  - Chicken
  - Breakfast cereals
  - Beans
  - Chickpeas
  - Oat bran
  - Spinach
  - Turnip greens
  - Bread

# Multivitamin Mineral

- Children over 2 should take a child's multivitamin mineral supplement
- They do not need anything “special”
  - High-potency: at least 2/3 of the nutrients are 100% DV
  - Mega-ripoff?
- USP – it will dissolve in your gut
- Take with a meal

# Eating Disorders & Disordered Eating



NSCA Sports Nutrition Education Program




# Normal Eating

- Eat when hungry
- Eat until satisfied
- Demonstrate moderate food restraint
- Overeat at times and also under eat at times
- Leave food on your plate
- Flexible eating

# Eating Disorders

- Anorexia Nervosa
- Bulimia
- Disordered Eating
  - Binge Eating Disorder
  - Chronic Overeating
  - Body Dysmorphic Disorder

# There Can Be Crossover



- Anorexics may purge
- Bulimics and Binge Eaters may restrict in between binges
- One eating disorder may lead to another

# Eating Disorders

- Increased Risk:
  - Female
  - Dieting behavior
  - Middle or upper-class
  - Dysfunctional families
  - History of physical and/or mental abuse
  - Sport that stresses thinness
  - Perfectionist tendencies

# Characteristics

- Insecurity, worthlessness
- Difficulty forming close relationships
- Goal-oriented, achievement-driven
- Trouble expressing emotions

# Warning Signs

- **Dramatic loss of body weight (25% of BW)**
- **Weight fluctuations**
- **Preoccupation with food and weight**
- **Possibly vegetarian or “allergic” to certain foods**
- **Avoid food related social events**
- **Eating rituals**
- **Mood swings**



# Warning Signs

- Purging
- Intense denial of illness
- Baggy layers of clothing
- Pale (anemia)
- Increased risk of infections, injuries, illness
- Preoccupation with diet
- Frequent injuries
- Hair loss
- Lanugo – abnormal hair growth

# Warning Signs

- Dry skin
- Brittle nails
- Constipation
- Hypothermia
- Low heart rate
- Low blood pressure, orthostatic hypotension

# Prognosis

- Eating disorders are a chronic condition – they do not go away over night.
- Some individuals die from these conditions
- Majority have persistent food and weight preoccupations

# The Coach's Role

- Respect and Trust
- Care
- Support
- Keep an open line of communication
- Be a Role Model

# What Can Parents & Coaches Do?

- Promote Healthy Eating
- De-emphasize weight
- Confront?
- Recognize Signs/Symptoms & Refer
- Provide Healthy Snacks

# Hydration



NSCA Sports Nutrition Education Program



# Functions of Water

- Waste product removal
- Solvent for chemical reactions
- Transport medium (blood)
- Lubrication
- Temperature regulation

# Hydration

- Young Athletes:
  - Don't sweat as efficiently to help dissipate heat
  - Produce significant metabolic heat
  - Typically aren't very diligent about drinking
  - Core body temperature can rise very rapidly

# Dehydration: Warning Signs

- Thirst
- Irritability
- Headache
- Weakness
- Dizziness
- Cramps
- Nausea
- Decreased Performance

# Preventing Dehydration & Heat Illness

- Acclimate a child to warmer weather
- Adjust exercise & rest periods
  - How acclimated the children are
  - Humidity
  - Temperature
  - Sun exposure
- Choose lightweight, light colored clothing

# Fluid Needs

- **Pre Exercise:**
  - 2 hours prior: drink freely to hydrate
  - 15 minutes prior: 5-9 oz cold water
- **During Exercise:**
  - Every 20 minutes: 5-9 oz of cold water or sports drink
- **Post Exercise**
  - Drink 24 oz for every pound lost during exercise

# Supplement Use



NSCA Sports Nutrition Education Program



# Supplements

- Generally not recommended in children
- Teenagers:
  - Protein shakes
  - Hi calorie shakes
  - Creatine?
    - Considered safe but, insufficient research in this age group
    - Consider only after diet and training program are tweaked and supplementation is discussed with a sports nutritionist and a trained health care professional.

# An Effective Nutrition Plan



NSCA Sports Nutrition Education Program



# Pre-Game/Event/Meet

- Meal 2-4 hours prior to practice/competition
  - High carbohydrate
  - Low in fat
  - Easily digestible
- Snack 30 minutes before
  - High carbohydrate
  - Low fat, low fiber

# Pre-Game Meal Ideas

- Sandwich with lean meat and fruit (banana, grapes)
- Pasta with tomato sauce
- Bagel with peanut butter and jelly, fruit
- Cereal and skim milk

# Pre-Game Snacks

- Fruit
- Nutrition bars
- Fig bars
- Sports drinks
- Oatmeal cookies
- Dry cereal
- Pretzels
- ½ bagel

# During Competition

- Depends on sport
- For competition over 1 hr – include sports drinks
- All day events:
  - Have food available between games, events
  - Water and sports drinks

# Post-Game

- Drink Up
- Eat a meal or snack within 30 minutes
  - Chocolate milk!
  - Energy/nutrition bar
  - 100% fruit juice + string cheese/yogurt

# For More Information

- BAM: [www.bam.gov](http://www.bam.gov)
- My Pyramid: [www.mypyramid.gov](http://www.mypyramid.gov)
- <http://www.empoweredkidz.com/>
- [www.kidshealth.org](http://www.kidshealth.org)
- National Association of Anorexia Nervosa and Associated Disorders: <http://www.anad.org>
- Eating Disorders Awareness and Prevention: [www.edap.org](http://www.edap.org)
- NIH, Office of Dietary Supplements
- [http://dietary-supplements.info.nih.gov/Health\\_Information/Vitamin and Mineral Supplement Fact Sheets.aspx](http://dietary-supplements.info.nih.gov/Health_Information/Vitamin_and_Mineral_Supplement_Fact_Sheets.aspx)



# References

- American Academy of Pediatrics, Committee on Adolescence. (2003). Identifying and treating eating disorders. *Pediatrics*, 111(1), 204-11.
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Climatic heat stress and the exercising child and adolescent. *Pediatrics*, (2000). 106(1), 158-9.
- Bailey, D. A., Faulkner, R. A., McKay, H. A., Drinkwater, R. L. (1996). Bone mineral acquisition during the adolescent growth spurt. *J Bone Min Res*, 11, S465.
- Bar-Or, O. (2001). Nutritional considerations for the child athlete. *Can J Appl Physiol*, 6(Suppl.), S186-S191.
- Bonjour, J. P., et al. (2001). Gain in bone mineral mass in prepubertal girls 3.5 years after discontinuation of calcium supplementation: a follow-up study. *Lancet*, 358(9289), 1208-12.
- Brandt, D. (2004). Dehydration: examining the examinations: look to signs rather than symptoms when evaluating a child's status. *Am J Nurs*, 104(9), 21.

# References

- Brownlie, T. 4th, Utermohlen, V., Hinton, P. S., Giordano, C., Haas, J. D. (2002). Marginal iron deficiency without anemia impairs aerobic adaptation among previously untrained women. *Am J Clin Nutr.* 75(4), 734-42.
- Cadogan, J., et al. (1997). Milk intake and bone mineral acquisition in adolescent girls: randomised, controlled intervention trial. *BMJ*, 315(7118), 1255-60.
- Hansen, M. A., Overgaard, K., Riis, B. J., Christiansen, C. (1991). Role of peak bone mass and bone loss in postmenopausal osteoporosis: 12-year study. *Br Med J*, 303, 961-964.
- Harvey, J. S. (1884). Nutritional management of the adolescent athlete. *Clin Sports Med*, 3(3), 671-679.
- Hinton, P. S., Giordano, C., Brownlie, T., Haas, J. D. (2000). Iron supplementation improves endurance after training in iron-depleted, nonanemic women. *J Appl Physiol*, 88(3), 1103-11.

# References Cont.

- Johnston, C. C., et al. (1992). Calcium supplementation and increases in bone mineral density in children. *N Engl J Med*, 327(2), 82-7.
- Krause, M. V., Mahan, L. K. Minerals. (2003). In: Food, nutrition and diet therapy, 11th edition. Mahan K, Escott-Stump S. Philadelphia, PA: W.B. Saunders Company.
- Lloyd, T., et al. (1993). Calcium supplementation and bone mineral density in adolescent girls. *JAMA*, 18, 270(7), 841-4.
- Martin, A. D., Bailey, D. A., McKay, H. A. (1996). Bone mineral and calcium accretion during growth. *J Bone Min Res*, 11, S467.
- Mikhail, B. I. (1992). Reduction of risk factors for osteoporosis among adolescents and young adults. *Issues Compr Pediatr Nurs*, 15(4), 271-80.
- Narins, D. M., Belkengren, R. P., Sapala, S. (1983). Nutrition and the growing athlete. *Pediatr Nurs*, 9(3), 163-168.

# References Cont.

- NIH Consensus Development Panel on Optimal Calcium Intake: Optimal calcium intake. (1994). *J Am Med Assoc*, 272, 1942-1948.
- Rogol, A. D., Clark, P. A., Roemmich, J. N. (2000). Growth and pubertal development in children and adolescents: effects of diet and physical activity. *Am J Clin Nutr*, 72(Suppl), 521S-8S.
- Rowland, T. W., et al. (1987). Iron deficiency in adolescent endurance athletes. *J Adolesc Health Care*. 8(4), 322-6.
- Rowland, T. W., Kelleher, J. F. (1989). Iron deficiency in athletes. Insights from high school swimmers. *Am J Dis Child*, 143(2), 197-200.
- Schettler, A. E., Gustafson, E. M. (2004). Osteoporosis prevention starts in adolescence. *J Am Acad Nurse Pract*, 16(7), 274-82.

- Stear, S. J., et al. (2003). Effect of a calcium and exercise intervention on the bone mineral status of 16-18-y-old adolescent girls. *Am J Clin Nutr*, 77(4), 985-92.
- Sports Medicine: Health Care for Young Athletes. Elk Grove Village, IL: American Academy of Pediatrics, 1991.
- Unnithan, V. B., Goulopoulou, S. (2004). Nutrition for the pediatric athlete. *Curr Sports Med Rep*, 3(4), 206-11.
- U.S. Department of Health and Human Services. Dietary Intake of Selected Minerals for the United States Population: 1999-2000. Hyattsville, MD: Department of Health and Human Services, Publication No. (PHS) 2004-125004-0304 (4/04).